

Notice of Allowability

Application No.

10/080,456

Examiner

Patricia L. Nordmeyer

Applicant(s)

JE-SUK ET AL

Art Unit

1772

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to 3/17/04.
2. ☒ The allowed claim(s) is/are 9 and 10.
3. ☒ The drawings filed on 22 February 2002 are accepted by the Examiner.
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☐ All b) ☐ Some* c) ☐ None of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
 6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

- | | |
|---|--|
| 1. <input type="checkbox"/> Notice of References Cited (PTO-892) | 5. <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 2. <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 6. <input type="checkbox"/> Interview Summary (PTO-413),
Paper No./Mail Date _____. |
| 3. <input type="checkbox"/> Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date _____ | 7. <input checked="" type="checkbox"/> Examiner's Amendment/Comment |
| 4. <input type="checkbox"/> Examiner's Comment Regarding Requirement for Deposit
of Biological Material | 8. <input checked="" type="checkbox"/> Examiner's Statement of Reasons for Allowance |
| | 9. <input type="checkbox"/> Other _____. |

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. Zborozsky (Reg. #28,563) on April 28, 2004.

The application has been amended as follows:

In claim 9, line 3, after "chloride sheets, each", insert --sheet--.

In claim, 9, line 4, "a side of the" has been deleted and replaced by --either the upper or lower side of the--.

In claim 9, lines 5 and 6, "selected from the group consisting of an upper side and a lower side" has been deleted.

In claim 9, line 7, "an" has been deleted and replaced by --the--.

In claim 9, line 7, "resulting" has been deleted.

In claim 10, line 1, "claim 1" has been deleted and replaced by --claim 9--.

In claim 10, line 2, "further" has been deleted and replaced by --another--.

In claim 10, line 2, "other" has been deleted and replaced by --opposite--.

In claim 10, line 3, "to" has been deleted and replaced by --from--.

2. The following is an examiner's statement of reasons for allowance:

Art Unit: 1772

The closest prior art of record fails to teach or suggest the recited floor covering.

Independent claim 9 identifies the uniquely distinct features of a flooring substrate that include “2 to 20 perforated high density polyvinyl chloride sheets”, “a glass fiber sheet attached to either the upper or lower side of the integrated body” and “a wood thin film, having a UV coated layer, attached to the uppermost side of the integrated body”. The closest prior art of record, Meroni (USPN 4,573,299) in view of Pitts (USPN 4,415,946), disclose floor coverings made with different materials and structures, which either singularly or in combination, fail to anticipated or render obvious the above limitations.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled “Comments on Statement of Reasons for Allowance.”

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Patricia L. Nordmeyer whose telephone number is (571) 272-1496. The examiner can normally be reached on Mon.-Thurs. from 7:00-4:30 & alternate Fridays.


If attempts to reach the examiner by telephone are unsuccessful, the examiner’s supervisor, Harold Y. Pyon can be reached on (571) 272-1498. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Art Unit: 1772

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Patricia L. Nordmeyer
Examiner
Art Unit 1772

pln
pln


HAROLD PYON
SUPERVISORY PATENT EXAMINER
1772

4/28/04